









OUR FACTORY










Advanced Germany Technology and stick production control to make high quality products for you.














BALANCE SIZE LIST

ITEM	PHOTO	SPECIFICATION	ITEM	PHOTO	SPECIFICATION
SELF-ADHESIVE WHEEL WEIGHT					
1		Fe material, 5g*12, 60g per strip, blue tape, zinc coated 100pcs/box	7		Fe material, 5g*12, 60g per strip, blue tape, epoxy coated 100pcs/box
2		Fe material, (5g+10g)*4, 60g per strip, blue tape, zinc coated 100pcs/box	8		PB material, 5g*12, 60g per strip, blue tape 100pcs/box
3		Fe material, 5g*12, 60g per strip, blue tape, epoxy coated 100pcs/box	9		PB material, (5g+10g)*4, 60g per strip, blue tape 100pcs/box



4		Fe material, (5g+10g)*4, 60g per strip, blue tape, epoxy coated 100pcs/box	10		zinc material, 5g*12, 60g per strip, blue tape,epoxy coated 100pcs/box
5		Fe material, 5g*12, 60g per strip, blue tape, epoxy coated 100pcs/box	11		zinc material, (5g+10g)*4, 60g per strip, blue tape,epoxy coated 100pcs/box
6		Fe material, (5g+10g)*4, 60g per strip, blue tape, epoxy coated 100pcs/box			









ITEM	PHOTO	SPECIFICATION	ITEM	PHOTO	SPECIFICATION
CLIP ON WHEEL WEIGHT					
1		Fe material,5-60g epoxy coated, alloy rim 5-30g, 100pcs/box 35-60g, 50pcs/box	11		PB material. 0.25-3oz MC series rim 0.25-1oz,100pcs/box 1.25-2oz,50pcs/box 2.25-3oz, 25pcs/box
2		Fe material,5-60g epoxy coated, steel rim 5-30g, 100pcs/box 35-60g, 50pcs/box	12		PB material. 0.25-3oz P series rim 0.25-1oz,100pcs/box 1.25-2oz,50pcs/box
3		Fe material,5-60g zinc coated, alloy rim 5-30g, 100pcs/box 35-60g, 50pcs/box	13		PB material. 30-60g R series rim 5-30g, 100pcs/box 35-60g, 50pcs/box
4		Fe material,5-60g zinc coated, steel rim 5-30g, 100pcs/box 35-60g, 50pcs/box	14		PB material. 30-60g alloy rim 5-30g, 100pcs/box 35-60g, 50pcs/box
5		Fe material, 5-60g epoxy coated, MC series rim 5-30g, 100pcs/box 35-60g, 50pcs/box	15		PB material. 30-60g steel rim 5-30g, 100pcs/box 35-60g, 50pcs/box

6		Fe material, 5-60g epoxy coated, FN series rim 5-30g, 100pcs/box 35-60g, 50pcs/box	16		PB material. 30-500g truck and bus rim 50-250g, 25pcs/box 300-500g, 10pcs/box
7		Fe material, 5-60g epoxy coated, AW series rim 5-30g, 100pcs/box 35-60g, 50pcs/box	17		PB material. 30-500g truck and bus rim 50-250g, 25pcs/box 300-500g, 10pcs/box
8		PB material. 0.25-3oz AL series rim 0.25-1oz, 100pcs/box 1.25-2oz, 50pcs/box 2.25-3oz, 25pcs/box	18		PB material. 30-500g truck and bus rim 50-250g, 25pcs/box 300-500g, 10pcs/box
9		PB material. 0.25-3oz AW series rim 0.25-1oz, 100pcs/box 1.25-2oz, 50pcs/box 2.25-3oz, 25pcs/box	19		PB material. 30-500g truck and bus rim 50-250g, 25pcs/box 300-500g, 10pcs/box
10		PB material. 5-60g FN series rim 5-30g, 100pcs/box 35-60g, 50pcs/box			

ITEM	PHOTO	SPECIFICATION	ITEM	PHOTO	SPECIFICATION
SNAP-IN TUBELESS RUBBER TIRE VALVES					
1		TR414 Rim holes:11.5mm Core: 9002# A(mm)48.5 B(mm)38 C(mm)15	2		TR413 Rim holes:11.5mm Core: 9002# A(mm)42.5 B(mm)32 C(mm)15

ITEM	PHOTO	SPECIFICATION	ITEM	PHOTO	SPECIFICATION
TIRE SEAL STRING					
1		100mm*3.5mm Brown/Black rubber price based on 50000pcs	5		100mm*6mm Brown/Black rubber price based on 50000pcs
2		100mm*4mm Brown/Black rubber price based on 50000pcs	6		200mm*6mm Brown/Black rubber price based on 50000pcs
3		100mm*4.5mm Brown/Black rubber price based on 50000pcs	7		200mm*8mm Brown/Black rubber price based on 50000pcs
4		100mm*5mm Brown/Black rubber price based on 50000pcs			

ITEM	PHOTO	SPECIFICATION	ITEM	PHOTO	SPECIFICATION
AUTO MAINTENANCE TOOLS					
1		Air Jack, Capacity: 3tons	6		tire dismount paste 1kg drum 2kg drum

2		5 Gallon tyre instant pump	7		tire repair tool 60sets/carton
3		tire changer 152*25*31(cm) G.W:13KG	8		tire repair tool 60sets/carton
4		tire changer 152*25*31(cm) G.W: 12KG	9		tire repair set
5		tire changer 137*28*23(cm) G.W: 29KG	10		tire repair set

Contact Us:

cherry@debort.com



Devote ourselves to give you best Tyre and Rim solution.



Cherry Quin General Manager

DEBORT CO., LIMITED

 Email: cherry@debort.com
 Cellphone : 0086-18660255278

 Tel: 0086-532-80991938
 Fax: 0086-532-80990998

 Web: www.debort.com
 Skype: cherryqueenchina

 Address: 2-3010, No.222 Shenzhen Road, Qingdao, China.

HIGH QUALITY | TIMELY DELIVERY | PERFECT SERVICE